

BIO-LOGICAL EXERCISE™ FOR WEIGHT LOSS

Lose Fat. Preserve Muscle. Support Metabolic Health.

A practical approach to improving body composition through light resistance, short exercise sessions, and sustainable nutrition.

Dr. Mike DeBord

President, B3 Sciences

Creator of Bio-Logical Exercise™

Creator of the 1—5—10 Minute Method™

Educational Disclaimer

This paper is intended for educational purposes and does not replace individualized medical evaluation, diagnosis, or treatment.

TABLE OF CONTENTS

- 01 — Rethinking Weight Loss
- 02 — The Metabolism Challenge
- 03 — Muscle Is the Missing Piece
- 04 — The Cardio + Dieting Trap
- 05 — From Burning Calories to Creating a Bio-Logical Signal
- 06 — What Is Blood Flow Restriction?
- 07 — BFR Science: Visceral Fat and Body Composition
- 08 — The GLP-1 Muscle Solution
- 09 — The 1—5—10 Minute Method™
- 10 — Make Nutrition Work with Your Biology
- 11 — Safety and Comfort
- 12 — The Bio-Logical Exercise Advantage
- 13 — About the Author
- 14 — Why I Recommend B3 Bands
- 15 — Continue Your Journey with Bio-Logical Exercise™
- 16 — References

CHAPTER 01 — RETHINKING WEIGHT LOSS

For many people, weight management becomes a repeating cycle.

Reduce food intake. Increase exercise. Lose a few pounds. Then watch the weight return.

Each attempt can bring more frustration and less confidence. Eventually, the question becomes: “What’s wrong with me?”

But the difficulty of maintaining weight loss cannot be explained by discipline alone. An approach focused on eating less and exercising more can overlook an important question:

What kind of body is being created as the weight comes off?

A lower number on the scale can reflect a reduction in fat, muscle, water, or a combination of these. Those changes have different implications for strength, function, and metabolic health.

The goal should extend beyond weighing less.

Lose Fat.

Preserve Muscle.

Support Metabolic Health.

That is the foundation of Bio-Logical Weight Loss.

BIO-LOGICAL EXERCISE™ brings this goal into the exercise conversation by combining blood flow restriction with light resistance and short, practical routines.

Its purpose is to make meaningful muscular exercise accessible to people who may struggle with heavy weights, demanding workouts, or long sessions at the gym.

Combined with sensible nutrition, this approach makes muscle an intentional part of weight management.

CHAPTER 02 — THE METABOLISM CHALLENGE

When you diet and reduce calorie intake, two changes can make losing weight—and keeping it off—more difficult.

1. Your Body Burns Fewer Calories

As the body adapts to reduced intake and weight loss, resting metabolic rate—the calories burned at rest—can decrease. Total daily calorie expenditure can decline as well.

This means the calorie reduction that initially produced weight loss may eventually produce slower progress or a plateau.

2. Some of the Weight Lost Can Be Muscle

Dieting can reduce both fat and muscle, particularly when the exercise and nutritional approach do not adequately support muscle preservation.

Muscle is metabolically active tissue. Losing it can further reduce energy expenditure while also affecting strength and physical function.

Together, these changes create a central weight-loss challenge: eating less while the body is also burning less.

Simply cutting more calories does not address the need to preserve muscle and support metabolism.

A successful approach must consider both what is being lost and what is being maintained.

The goal is to lose excess fat while preserving muscle and supporting metabolic health.

That makes muscle an essential part of the weight-loss conversation.

CHAPTER 03 — MUSCLE IS THE MISSING PIECE

Muscle does more than give the body shape and strength. It is metabolically active tissue that uses energy—even at rest.

Maintaining muscle helps support metabolism. Building additional muscle can increase resting calorie expenditure and support a greater capacity for activity.

This makes muscle an important part of losing fat and maintaining the result.

When dieting causes muscle loss, the body loses some of the tissue that contributes to its daily calorie burn. Greater muscle loss can contribute to a larger decline in resting metabolic rate.

The scale may show progress, but the body may now require fewer calories than before.

Why the Weight Comes Back

After losing weight, many people return to what they consider their normal eating habits.

But their previous intake may now exceed their body's lower energy needs. If they have also lost muscle and become less active, that difference can become even greater.

Weight can return—and sometimes exceed the amount originally lost.

This is often described as a “crashed metabolism.” More accurately, the body's energy expenditure has decreased through weight loss, metabolic adaptation, and potentially muscle loss. Increased hunger can make maintaining the result harder as well.

Losing muscle can compound the metabolism challenge created by dieting.

Give Your Body a Reason to Keep Muscle

Reducing calorie intake addresses one side of weight management. Preserving muscle deserves its own strategy.

Appropriate muscular exercise, supported by adequate nutrition, gives the body a stimulus to maintain—and, in some circumstances, build—muscle.

That is why exercise should accomplish more than burning calories during a session. It should also support the tissue that contributes to calorie expenditure, strength, and an active life.

Lose the excess fat. Preserve the muscle. Support the metabolism that helps you maintain the result.

But building muscle can be especially challenging for people who are overweight and unfamiliar with weightlifting.

CHAPTER 04 — THE CARDIO + DIETING TRAP

When people want to lose weight, they commonly choose walking, cycling, or other forms of cardiovascular exercise.

These activities are familiar, accessible, and often feel easier and less intimidating than strength training or weightlifting.

They support cardiovascular health, endurance, and daily activity. But when combined with dieting, light cardio alone may leave an important need unmet: preserving and building muscle.

The Missing Muscular Challenge

Light cardiovascular exercise does not always provide enough muscular stimulus to preserve or build muscle during weight loss.

Strength training provides that challenge. But many people dislike weightlifting, feel uncomfortable in a gym, or have physical limitations that make heavy resistance difficult.

That creates a practical problem: the exercise they prefer may not adequately challenge the muscle they need to maintain.

Change What the Muscles Experience

Combining light cardiovascular exercise with BFR can create a muscle-building stimulus similar in some respects to resistance training.

Activities such as walking or stationary cycling, which ordinarily provide a limited muscle-building stimulus, can become challenging enough to promote muscle growth when performed with BFR.

As fatigue develops, additional muscle fibers—including Type II fibers—can be recruited to sustain movement.

BFR can be combined with familiar activities:

- Walking
- Stationary cycling
- Elliptical exercise
- Light resistance movements



Familiar movement becomes an opportunity to preserve and build muscle.

Maintaining muscle helps support metabolism, while building additional muscle can increase resting calorie expenditure and support greater daily activity.

For people who struggle with conventional weightlifting, this offers a practical way to combine accessible exercise with muscular conditioning.

CHAPTER 05 — FROM BURNING CALORIES TO CREATING A BIO-LOGICAL SIGNAL

A common question after exercise is:

“How many calories did I burn?”

That information can be useful, but it does not describe everything exercise accomplishes.

Exercise also creates signals that influence how the body adapts. The load, duration, muscular effort, and recovery all contribute to the response.

BIO-LOGICAL EXERCISE™ focuses on creating a meaningful muscular signal with light resistance and manageable exercise durations.

During BFR exercise, oxygen availability decreases locally and muscular effort builds. Fatigue can develop with movements and loads that would otherwise feel relatively easy.

As muscular effort increases, additional muscle fibers can be recruited to help sustain movement.

The practical concept is straightforward:

Use accessible exercise to create a muscular challenge greater than the external load alone would suggest.

For weight management, this gives exercise an additional purpose: providing a stimulus for the muscle the person wants to maintain.

The question expands from: “How many calories did this workout burn?”

To: **“What stimulus did this workout provide for the body we want to build and maintain?”**

CHAPTER 06 — WHAT IS BLOOD FLOW RESTRICTION?

Blood flow restriction exercise uses controlled external pressure from bands placed near the top of the arms or legs.

The pressure slows venous return while allowing continued arterial inflow. This reduces the oxygen available in the working muscles—similar in that respect to exercising at altitude, although the effect of BFR is local.

Just as light exercise can feel more demanding at altitude, BFR increases muscular fatigue during light exercise, creating a muscle-building stimulus with much lighter loads than heavy weightlifting.

BFR can be used with low-load resistance exercise and selected forms of aerobic activity.

Examples include light dumbbells, exercise tubing, walking, and stationary cycling.



Its relevance to weight management is practical: it provides another way to challenge muscles when heavy resistance is undesirable or difficult.

Someone with limited exercise experience may need a manageable starting point.

Someone with joint limitations may need less external load.

Someone with a busy schedule may need a routine that fits into a short opening in the day.

BFR allows the exercise approach to be adapted around these needs.

The external load can remain light while the working muscles experience an increasing challenge.

CHAPTER 07 — BFR SCIENCE: VISCERAL FAT AND BODY COMPOSITION

Beyond the Scale

Body composition describes what makes up body weight.

For weight management, changes in fat and muscle can be more informative than scale weight alone.

Visceral fat deserves particular attention. It is stored deep within the abdomen around internal organs, making it different from the fat located beneath the skin.

Research examining BFR and body composition provides a scientific basis for considering more than total pounds lost.

A 12-Week Study in Adults with Type 2 Diabetes

A study published in *Cell Metabolism* in April 2026 compared low-load BFR resistance training with conventional resistance training over 12 weeks. Researchers used MRI to measure changes in fat distribution.[1]



The reported changes in visceral fat were:

Exercise approach	Reduction in visceral fat
Conventional resistance training	3.1%
BFR resistance training	13.3%

The numerical reduction in the BFR group was more than four times as large. The BFR group's reduction was statistically significant; the conventional group's reduction was not.

The groups achieved comparable improvements in muscle strength despite the lighter loads used with BFR.

These findings connect low-load BFR resistance exercise with changes in strength and abdominal fat distribution.

Research in Adults with Overweight and Obesity

A 2022 meta-analysis in *Frontiers in Physiology* examined BFR exercise in adults with overweight and obesity.[2]

The review included five studies and 66 participants. Its detailed analysis reported a statistically significant improvement in BMI.

Together, these findings support considering BFR within weight-management programs.

CHAPTER 08 — THE GLP-1 MUSCLE SOLUTION

Lose the Fat. Keep the Muscle.

Medications such as semaglutide and tirzepatide have changed the weight-management landscape.

Semaglutide is used in products including Ozempic and Wegovy. Tirzepatide, used in Mounjaro, acts on both GIP and GLP-1 receptors.

By reducing appetite and helping people eat less, these therapies can produce substantial weight loss.

For many people struggling with obesity, that represents an important treatment opportunity.

Substantial weight loss also raises another question:

What proportion of the weight being lost is fat, and what proportion is lean tissue?

Body-composition analyses during medication trials have reported reductions in both. Some analyses have attributed approximately 40% of total weight lost to lean mass, although the proportion varies across studies and treatments.

Muscle preservation deserves attention during substantial weight reduction.

Protecting Strength and Function

A person who weighs less but becomes weaker may need changes to the exercise and nutritional plan.

For older adults and people who begin treatment with limited strength, maintaining physical function is especially important.

The objective should be to become leaner while protecting the capacity to move, work, exercise, and remain independent.

Why Accessible Resistance Exercise Matters

Traditional resistance training can support muscle preservation, but some people find it difficult to begin or sustain.

BIO-LOGICAL EXERCISE™ offers an accessible resistance-exercise option by creating muscular effort with very light loads.

Five- or ten-minute routines provide a practical framework, with exercise selection and progression adapted to the individual.

This makes BFR relevant to the discussion of muscular conditioning during medication-assisted weight loss.

Addressing Both Sides of the Equation

Medication can help reduce appetite and food intake.

Nutrition needs to provide adequate nourishment as intake changes.

Resistance exercise provides a stimulus for the muscle the person wants to maintain.

These elements should be coordinated with the prescribing clinician and an appropriately qualified exercise professional.

Lose the fat. Keep the muscle.

CHAPTER 09 — THE 1—5—10 MINUTE METHOD™

One barrier to exercise is the belief that meaningful sessions must be long, exhausting, or complicated.

The 1—5—10 Minute Method™ organizes BIO-LOGICAL EXERCISE™ into short, practical exercise opportunities.



The One-Minute Activator™

A brief opportunity to introduce movement and begin developing familiarity with the exercise.

A simple exercise provides a manageable starting point for building a routine.

The Five-Minute Adaptator™

A short BFR routine designed to build local muscular effort and provide a meaningful exercise stimulus.

The five-minute format makes muscular exercise easier to include in a busy day.

The Ten-Minute Accelerator™

A longer opportunity to extend the muscular challenge while continuing to use light resistance and controlled movement.

The ten-minute format allows a broader selection of exercises or additional work within an established routine.

If you choose to purchase B3 Sciences BFR Bands, instruction in the **1—5—10 Minute Method™**, along with access to **live and on-demand BFR workouts**, will be provided with your bands.

CHAPTER 10 — MAKE NUTRITION WORK WITH YOUR BIOLOGY

Nutrition still matters.

BIO-LOGICAL EXERCISE™ complements a sensible nutritional approach by giving muscular conditioning a deliberate place in the program.

Nutrition helps manage energy intake while providing the nutrients needed for health and activity.

Muscular exercise provides a stimulus to maintain or improve strength and physical capacity.

Both deserve attention.

A nutritional approach should be practical enough to maintain beyond an initial period of motivation.

Severe restriction that leaves someone persistently depleted or unable to exercise may need adjustment.

For people taking appetite-reducing medications, eating less should also prompt attention to nutritional adequacy, including sufficient protein and overall nourishment.

The aim is to establish eating habits that support the desired changes without making daily life depend on repeated cycles of extreme restriction.

A sustainable approach addresses both sides of the equation:

Nutrition helps manage energy intake.

Muscular exercise helps support the body as weight changes.

Manage excess energy intake. Nourish the body. Challenge the muscles. Build habits that can continue.

CHAPTER 11 — SAFETY AND COMFORT

People with medical conditions, circulation concerns, or a history of blood clots should seek individualized guidance from a qualified healthcare professional before beginning BFR exercise.

I recommend B3 Bands for their multiple air-chamber design, which is intended to distribute pressure evenly around the limbs and support safety and comfort during light exercise.



When choosing a BFR band, look for a company that provides:

- Safety studies supporting its equipment
- A clear contraindications list explaining who should avoid use or seek medical guidance
- Clear instructional videos
- Follow-along workouts
- Responsive customer service
- A money-back guarantee
- An equipment warranty

B3 Sciences checks all of these boxes.

CHAPTER 12 — THE BIO-LOGICAL EXERCISE ADVANTAGE

A sustainable weight-management approach considers what is lost, what is preserved, and what the person can continue doing.

BIO-LOGICAL EXERCISE™ brings muscular conditioning into that approach through light resistance, short routines, and adaptable movement.

Its practical value is the opportunity to make muscular exercise accessible to people who find heavy loading or conventional gym routines difficult to sustain.

Addressing Common Exercise Barriers

Limited time

Short routines provide practical opportunities for muscular exercise within a busy schedule.

Joint discomfort or difficulty with heavy weights

Light external loads allow a different approach to creating muscular effort.

Limited gym access

Bands, a pump, and tubing provide a compact exercise setup.

Low confidence or limited exercise experience

Simple movements can be adapted to the person's starting capacity.

Difficulty maintaining a routine

A manageable format makes it easier to establish repeatable exercise habits.

Nutrition remains important. Medical treatment may have an appropriate role. Everyday activity continues to matter.

Within that larger picture, BFR offers another way to provide muscles with an exercise stimulus.

The goal is a healthier body composition supported by strength, function, and sustainable habits.

Lose Fat.

Preserve Muscle.

Support Metabolic Health.

CHAPTER 13 — ABOUT THE AUTHOR

Clinical Background and Philosophy

Dr. Mike DeBord is an educator, clinician, and innovator with more than three decades of experience in exercise science, rehabilitation, and human performance.

He is the author of **Bio-Logical Exercise™**, **scheduled for release in November 2026**, which explores the concepts, science, and practical application of an approach designed to make meaningful exercise more accessible.

As Founder of B3 Sciences, he has spent more than a decade studying the practical application of blood flow restriction across athletes, older adults, rehabilitation patients, and individuals living with chronic disease.

His work led to the development of the 1—5—10 Minute Method™, a practical system designed to make blood flow restriction simple, repeatable, and accessible for individuals across a broad range of fitness levels.

Building upon thousands of training sessions and years of clinical observation, Dr. DeBord introduced the broader concept of Bio-Logical Exercise™—an approach that emphasizes creating targeted bio-logical signals through manageable exercise.

His experience includes more than 3,500 personal BFR sessions, a review of over 1,000 research papers, and the application of BFR by more than 85,000 people through B3 Sciences.

His philosophy is simple:

The body responds to biology.

His educational work focuses on helping people understand how exercise can be adapted around their capacity, circumstances, and goals.

For weight management, that means bringing muscle, strength, and metabolic health into the conversation alongside changes in body weight.

CHAPTER 14 — WHY I RECOMMEND B3 BANDS

For Bio-Logical Exercise™, I recommend B3 Bands. My recommendation comes down to five features that matter when choosing an exercise system you can use consistently.

Multiple Air-Chamber Design

B3 Bands use multiple inflatable air chambers designed to distribute pressure around the arms and legs.

Safety Studies

Safety research is an important part of evaluating BFR equipment. The studies supporting B3 Bands are one reason I recommend them, alongside proper instruction and use.

Study #1 — Walking With Leg Blood Flow Restriction: Wide-Rigid Cuffs vs. Narrow-Elastic Bands (3)

Summary: Use of wide-rigid BFR cuffs resulted in a marked increase in blood pressure and myocardial oxygen demand compared with narrow-elastic BFR bands (B3 Sciences Bands), suggesting that narrow elastic bands may present a safer alternative for at-risk populations performing BFR exercise.

Study #2 — Hemodynamic and Pressor Responses to Combination of Yoga and Blood Flow Restriction (4)

Summary: The use of blood flow restriction bands (B3 Sciences Bands) in combination with yoga did not result in additive or synergistic hemodynamic and pressor responses.

Easy to Use

A simple hand pump and straightforward setup make B3 Bands practical for exercise at home, at work, or while traveling.

Comfortable

The flexible design allows movement during light exercise. Comfort matters because an exercise system should be something you are willing to use regularly.

Used Across Fitness and Healthcare

B3 Bands are used by athletes, celebrities, doctors, and physical therapists, as well as everyday people working toward better health and fitness.

For me, these features make B3 Bands a practical choice for putting Bio-Logical Exercise™ into daily life.

A Complete System

A complete BFR system from B3 Sciences contains four B3 BFR Bands, a hand pump, exercise tubing, and access to the B3 U app for live and OnDemand BFR workouts.

B3 Bands - A complete BFR System



The advertisement features a collection of B3 Sciences BFR equipment. On the left is a large black duffel bag with the B3 logo. Next to it is a smaller black drawstring bag, also with the B3 logo. In front of these is a manual hand pump with a pressure gauge and a coiled resistance tubing set. To the right of the pump is a B3 BFR band, which is black with a blue stripe and the B3 logo. A smartphone is positioned in the center, displaying the B3 U app interface. The background is a light gray gradient.

- 4 Multi-Air Chamber BFR Bands
- Manual Hand Pump
- Resistance Tubing Set
- B3 U - Live & OnDemand BFR Workouts
- B3 Custom Carry Bag

Workout Anywhere, Anytime

30 DAYS
UNLIMITED WORKOUTS

12 MONTH
UNLIMITED WORKOUTS

CHAPTER 15 — CONTINUE YOUR JOURNEY WITH BIO-LOGICAL EXERCISE™

This paper introduces an approach to weight management that gives muscle, strength, and metabolic health a central role.

The **Bio-Logical Exercise™ book, scheduled for release in November 2026**, takes that understanding further through 300 pages exploring the concepts, science, and practical application of the method.

Explore how blood flow restriction changes the muscular challenge of light exercise, how the 1—5—10 Minute Method™ organizes short exercise opportunities, and how to build a routine around your starting capacity and schedule.

The broader goal is to develop an approach to exercise that can remain part of daily life as needs and circumstances change.

Weight management is one application of that approach.

Maintaining strength, supporting physical function, and making movement accessible are goals that continue long after an initial weight-loss phase.

Build a routine that supports the body you want to live in.

Learn more about Bio-Logical Exercise™ and the 1—5—10 Minute Method™ through B3 Sciences and the Bio-Logical Exercise™ book.

Web: B3Sciences.com

Book: Bio-LogicalExercise.com & Amazon

B3 U App: Apple Store and Google Play

16 —REFERENCES

1. Trinks N, Gancheva S, Pützer J, et al.

Blood-flow restriction resistance training improves skeletal muscle mitochondrial capacity and cardiovascular risk factors in type 2 diabetes. *Cell Metabolism*. 2026;38(4):812–823.e6.

DOI: 10.1016/j.cmet.2025.12.016.

2. Sun L.

Effects of blood flow restriction training on anthropometric and blood lipids in overweight/obese adults: Meta-analysis. *Frontiers in Physiology*. 2022;13:1039591.

DOI: 10.3389/fphys.2022.1039591.

3. Stray-Gundersen S, Wooten SV, Tanaka H. Walking With Leg Blood Flow Restriction: Wide-Rigid Cuffs vs. Narrow-Elastic Bands. *Frontiers in Physiology*. 2020;11:568. DOI:

10.3389/fphys.2020.00568.

4. Wooten SV, Stray-Gundersen S, Tanaka H. Hemodynamic and Pressor Responses to Combination of Yoga and Blood Flow Restriction. *International Journal of Sports Medicine*. 2020;41(11):759–765.

DOI: 10.1055/a-1171-1620.